

# Finest ideas in Cooling for Retail & Super Market Solutions...



ISO 9001  
ISO 14001



 THE MIDDLEBY CORPORATION


...brought to India by  
Middleby Celfrost

## Hard Top Chest Freezers from 100 ltrs to 850 ltrs.

Presenting world's finest range of convertible chest freezers/coolers to suit every need, in one, two and three lid variants



Single Door



Double Door



Three Door

## Half Freezer / Half Cooler



CFCC-335/400

### Features:

- Unique dual temperature design with separate freezing and cooling chamber
- 2 separate lids for easy access to either chamber

## Special Application Freezers/Coolers



CF-330 SS/430 SS  
(Also available in Double Door CF-435 DD SS)

### Features:

- Copper evaporator coils
- SS 304 inside
- SS top



CF-600 SS

### Features:

- Complete SS construction inside and outside

## Technical Specification

Product/Model Specification	Hard Top Chest Freezers / Coolers										Half Freezers / Coolers	
	Single Door										Double Door	
	CF 110	CF 115	CF 132/133	CF 192/193	CF 210	CF 215	CF 232/233 SD	CF 310	CF 332/333	CF 335	CFCC 335	CFCC 400
Capacity (litres)	105	110	91	177	210	230	216	320	322	330	300	400
Dimension (inch) WxDxH	22x22x33	21x22x34	22x23x31	34x22x31	36x22x33	37x22x34	32x28x33	39x29x33	43x28x33	44x27x33	49x24x36	52x28x37
Temperature Range	-18°C ~ -24°C / 2°C ~ 8°C										-18°C ~ -24°C & 2°C ~ 8°C	
Wheels/Foot	W*	W	F	F	W*	W	F	W	W	W	W	W
Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Refrigerant	R600a	R134a	R600a	R600a	R600a	R134a	R600a	R290	R290	R134a	R134a	R290
Rated Load, Wattage	70	85	55	97	70	110	126	160	230	295	195	160
No. of Baskets	2	1	1	1	2	1	1	2	1	1	1	1
No. of Lids/Doors	1	1	1	1	1	1	1	1	1	1	2	2

Product/Model Specification	Hard Top Chest Freezers / Coolers									Special Application Freezers / Coolers			
	Double Door								Three Door	Single Door		Double Door	
	CF 336/334 DD	CF 340 DD	CF 432/444 DD	CF 455 DD	CF 460 DD	CF 532/555 DD	CF 560 DD	CF 585 DD	CF 860	CF 330 SS	CF 430 SS	CF 435 DD SS	CF 600 SS
Capacity (litres)	322	330	428	423	425	428	525	520	850	290	390	390	577
Dimension (inch) WxDxH	43x28x33	45x29x34	55x28x33	59x24x33	49x29x34	66x28x33	61x29x34	63x30x33	95x29x35	41x30x33	50x30x33	50x30x33	71x28x37
Temperature Range	-18°C ~ -24°C / 2°C ~ 8°C												
Wheels/Foot	W	W	W	W	W	W	W	W	W*	W	W	W	W
Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Refrigerant	R290	R134a	R290	R134a	R290	R290	R290	R134a	R290	R134a	R134a	R134a	R404a
Rated Load, Wattage	230	160	230	295	240	255	275	350	295	155	170	170	295
No. of Baskets	1	1	2	1	2	2	2	2	2	1	1	1	2
No. of Lids/Doors	2	2	2	2	2	2	2	2	3	1	1	2	2

Specifications, features and colours are subject to change without any notice, due to continuous product development.  
CF 132/192/232/332SD/335/336DD/432DD/455DD/532DD/585 & CFCC 335 are with white painted sheet inside.  
Accessories optional, product image are for representation, actual product might vary.

\*This height without wheels.

## Glass Top Freezers



IKG-111



IKG-211/311/411



IKG-511/611



IKG-210C



IKG-310C/410C



## Island Freezer



IL-450/550

Canopy optional & can be fixed on all flat/curved/Island glass top freezers to make it a scooping cabinets

- Ultra low energy consumption
- Longer holding
- Fastest cooling
- Special design end to end basket

## Technical Specification

Product / Model Specification	Plate Glass Chest Freezers						Curve Glass Chest Freezers			Island Showcase		
	IKG-111	IKG-211	IKG-311	IKG-411	IKG-511	IKG-611	IKG-210C	IKG-310C	IKG-410C	IL-450	IL-550	
Capacity (litres)	97	194	300	380	500	600	200	300	400	426	528	
Dimension (inch)	Width	24	37	40	48	56	65	30	41	48	70	77
	Depth	21	23	27	27	27	27	26	27	27	29	36
	Height	33	33	32	32	32	32	33	32	32	34	39
Temperature Range	-18°C ~ -24°C									-18°C ~ -22°C		
Wheels	Yes	Yes	Yes	Yes	Yes	Yes	Yes*	Yes*	Yes*	Yes	Yes	
Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Refrigerant	R134a	R134a	R290	R290	R290	R290	R290	R290	R290	R134a	R134a	
Rated Load, Wattage	160	160	275	275	295	295	240	275	275	275	310	
No. of Baskets	1*+1	1*+1	2*+2	2*+2	2*+2	2*+2	1*+1	2*+2	2*+3	4	6	
No. of Lids/Doors	2	2	2	2	2	2	2	2	2	2	2	

Specifications, features and colours are subject to change without any notice, due to continuous product development. Accessories optional, product image are for representation, actual product might vary.

\*This height without wheels.

\* QDI Baskets



## Showcase Freezers



NFG-200\*

NFG-450\*

NFG-1000A\*

NFG-1500\*

BFS-150/250/350

### Technical Specification

Upright Showcase Freezers	Product / Model Specification								
	Capacity (litres)	Dimension (WxDxH) inch	Temperature Range	Wheels	Lock	Refrigerant	Rated Load, Wattage	No. of Baskets/ Shelves	No. of Lids /Doors
NFG-200	211	24 x 28 x 39	-18°C ~ -22°C*	Yes	Yes	R404a	700	2	1
NFG-450	450	27 x 28 x 81	-18°C ~ -22°C*	Yes	Yes	R404a	1000	4	1
NFG-1000A	1078	54 x 28 x 78	-18°C ~ -22°C*	Yes	Yes	R404a	1100	5+5	2
NFG-1500	1657	81 x 28 x 78	-18°C ~ -22°C*	Yes	Yes	R404a	1300	4+4+4	3
BFS 150	150	22 x 22 x 45	-18°C	Adjustable Feet	Yes	R134a	100	5	1
BFS 250	250	24 x 27 x 58	-18°C		Yes	R134a	120	8	1
BFS 350	350	24 x 27 x 70	-18°C		Yes	R134a	140	7	1

\* Suitable to work at ambient temperature 28°C

Accessories optional, product image are for representation, actual product might vary.

## Complete range for retail solutions



IKG 60

FKG 20C/58C

NFG 58C

NFGC 49

CF-60

CBF 67

FSDCR 108/FSDHR 108

FSDC 58

### Technical Specification

Product/Model Specification	Freezers / Chillers									
	CF 60	FSDHR 108	FSDCR 108	IKG 60	CBF 67	FSDC 58	FKG 20C	FKG 58C	NFGC 49	NFG 58C
Capacity (litres)	60	108	108	60	27	58	20	58	55	58
Dimension (inch) WxDxH	21 x 19 x 24	19 x 19 x 34	19 x 19 x 34	23 x 21 x 20	32 x 26 x 14	17 x 16 x 33	13 x 14 x 23	17 x 18 x 31	24 x 21 x 27	18 x 19 x 36
Temperature Range	-18°C ~ -24°C / 2°C ~ 8°C	30°C ~ 90°C	2°C ~ 10°C#	-18°C#	-18°C ~ -22°C / 2°C ~ 10°C#	2°C ~ 10°C#			-18°C ~ -22°C*	
Wheels/Legs	NA	Adjustable Feet		NA	Adjustable Feet	Legs	Adjustable Feet		Legs	Adjustable Feet
Lock	NA	Optional	Optional	NA	NA	Yes	Optional		Yes	Optional
Refrigerant	R600a	NA	R600a	R134a	R600a	R600a	R600a	R600a	R290	R134a
Rated Load, Wattage	80	1200	230	80	140	180	82	82	100	150
No. of Baskets/Shelves	NA	4 (Rotating)	4 (Rotating)	1	8*1/6 GN PAN	2	1	2	2	3
No. of Lids/Doors	1	1	1	2	1	1	1	1	1	1
Digital Controller	-	Yes	Yes	**	Yes	Yes	-	-	Yes	Yes

\* Suitable to work at ambient temperature 28°C.

\*\*With digital temperature display.

# Suitable to work at ambient temperature 32°C.

Accessories optional, product image are for representation, actual product might vary.



## Showcase Coolers



FKG-120

FKG-235

FKG-320/400

FKG-371

FKG-330/430

FKG-325/425/525

FKG-610



FKG-600 DD

FKG-1000S

FKG-1000C

NFKG-1000C

FKG-1400 TD/1425 TD/1500

Top Mounted Compressor

Half Freezer Half Chiller

### Technical Specification

Product/Model Specification	Upright Showcase Coolers																		
	FKG 120	FKG 230	FKG 235	FKG 320	FKG 325/325SS	FKG 330	FKG 371	FKG 400	FKG-425/425SS	FKG 430	FKG 525	FKG 610	FKG 600 DD	FKG 1000S	FKG 1000C	FKG 1400/1425	FKG 1500	NFKG 1000C	
Capacity (litres)	120	200	210	300	320	300	381	400	420	400	520	600	630	1030	1027	1400	1657	490+490	
Dimension (inch)	Width	22	20	22	21	21	22	23	24	27	26	27	28	36	47	48	72	81	48
	Depth	23	23	24	25	23	24	23	27	23	24	27	29	27	28	28	28	28	28
	Height	39	60	53	68	78	66	73	78	78	76	79	86	78	82	79	79	78	80
Temperature Range	2°C ~ 10°C																	2°C ~ 10°C & ≤ -18°C*	
Wheels	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Refrigerant	R600a	R600a	R134a	R134a	R134a	R600a	R134a	R134a	R134a	R600a	R134a	R134a	R134a	R134a	R134a	R134a	R134a	R134a	R134a/R400a
Rated Load, Wattage	170	190	180	195	276	200	350	240	296	250	296	390	350	550	420	680/780	800	210/760	
No. of Shelves/Drawer	2	3	3	4	4	3	6	4	4	4	4	5	8	5+5	8	4+4+4	4+4+4	4+4	
No. of Lids/Doors	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	3	3	2	

\* at ambient of 32°C.

Accessories optional, product image are for representation, actual product might vary.

## Plug-in Multideck Chiller

(Close door option available in Chiller & Freezer)



HTS 1000 / 1200 / 1500



HTS 500



HTS 380

## Serve Over Counter



Plug-in & Remote

## Island Freezers & Coolers



IL-450/550

### Technical Specification

Product/Model Specification	Island Showcase		Multideck Chillers				
	IL-450	IL-550	HTS 380	HTS 500	HTS 1000	HTS 1200	HTS 1500
Capacity (litres)	426	528	380	220	770	950	1125
Dimension (inch) WxDxH	70 x 29 x 34	77 x 36 x 39	39 x 35 x 60	19 x 24 x 71	42 x 30 x 78	50 x 30 x 78	61 x 30 x 78
Temperature Range	-18°C ~ -22°C*		2°C ~ 10°C#				
Wheels	Yes	Yes	Yes	Adjustable Feet			
Lock	Yes	Yes	NA	NA	NA	NA	NA
Refrigerant	R134a	R134a	R290	R404a	R404a	R404a	R404a
Rated Load, Wattage	275	310	1300	830	1100	1100	1650
No. of Baskets/Shelves	4	6	3	3	4	4	4
No. of Lids/Doors	2	2	NA	NA	NA	NA	NA
Night Curtain	NA	NA	Yes	Yes	Yes	Yes	Yes

\* Suitable to work at ambient temperature 28°C

# Suitable to work at ambient temperature 32°C

Accessories optional, product image are for representation, actual product might vary.

### Technical Specification for Remote Multideck Chiller

IDU Model	RHTS 2500	RHTS 3750
Dimension (WxDxH) in mm	2500 x 865 x 2000	3750 x 865 x 2000
Capacity (Ltr)/Display Area (m2)	1790/6.08	2650/8.65
Temperature Range	+2°C ~ +10°C (at 25°C, 60% RH)	
Legs	Adjustable Feet	
Night Curtain/Shelves Light	Yes	Yes
No of Shelves (Shelves Angle)	4 (0° / 10° / 20°)	
Digitl Controller	Yes	Yes
Defrost Drain	Yes	Yes
Automatic Evaporation of drain Water	No (Drain Provision to be provided at site)	
Condensing Unit (ODU)	CCO 127 HA	CCO 217 HA
Input Power IDU/ODU (W)	480/2500	700/3200
Electrical IDU/ODU	220 V / 50 Hz	220 V / 50 Hz & 400 V / 50 Hz
Refrigerant	R 404a	R 404a

Accessories optional, product image are for representation, actual product might vary.



Remote Multideck Chiller  
(Close door option available in Chiller & Freezer)



Display-cum Storage Coldroom

Cool, soothing  
drops of water  
collected for you,  
by Middleby  
Celfrost!

24 month  
Compressor  
Warranty\*



### Technical Specifications

Model	S.Dlx. 20/20	S.Dlx. 20/40	S.Dlx. 40/40	S.Dlx. 40/80	S.Dlx. 60/120	S.Dlx. 150/150	S.Dlx. 200/400
Cooling Capacity	20	20	40	40	60	150	200
At 10°C temperature drop (Ltr/hr)	35	35	65	65	100	245	400
Glasses/hr at rated condition (Ltr/hr)	100	100	200	200	300	750	1000
Storage Capacity (Ltr)	20	40	40	80	120	150	400
No. of Faucets - cold water	1	1	1	2	2	2	4
Faucets Material	Brass (Cr Plated)						
Dimensions (mm)	370 x 370 x 1000	370 x 370 x 1185	370 x 370 x 1185	590 x 490 x 1200	700 x 540 x 1160	700 x 540 x 1320	1160 x 700 x 1400
Compressor / Make	Emerson 419 / LG-MA 53		Emerson 443, 444 / LG-MA 88		Emerson 461	Emerson 513	Emerson 513 / CR 22
Compressor / Refrigerant	R-134a	R-134a	R-134a	R-134a / R-22	R-22	R-22	R-22
Power (Watts)	390	390	450	450	775	1550	2000
Net Weight (Kgs.)	33	35	43	48	55	70	90
Legs	Nylon						
Water inlet hose pipe	Provided (Food Grade)						
Drain Pipe	Provided						
Over Flow Pipe	Provided						
Motor Make	Micro / Marathon (GE Motors)						

**Note:**

- All Models are suitable for operation on 230V / 1Ph / 50Hz AC Supply.
- Specification and features are subject to change without notice, due to continuous product development.



## ONE PARTNER. ONE TEAM. MANY SOLUTIONS.



# UNITED AGENCIES

8, Netaji Subash Marg, New Delhi - 110002  
 3580 Netaji Subash Marg New Delhi - 110002  
 3583 Netaji Subash Marg New Delhi - 110002  
 Cell: 91-98110-16688 / 99110-16688  
 delhibc@middlebycelfrost.com

**Toll Free Customer Service No.: 1800-102-1980**

**www.unitedagenciesindia.com**

- Conveyorised Pizza Ovens • Combi Ovens • Speed Ovens • Induction Cookers & Warmers • Fryers • Ice Flakers • Sandwich Grillers • Bakery Equipment
- Commercial Dishwashers • Bar Blenders • Catering & Cooking Equipment • Freezers • Showcase Coolers • Reach-Ins • Undercounter Refrigeration • Back Bars • Wine Coolers
- Minibars • Ice Cube Making Machines • Food Preparation Equipment • Ultra Low Temp Freezers • Water Coolers • Bottled Water Dispensers • Pastry Showcases • Ice Cream Scooping Cabinets • Coldrooms • Supermarket Refrigeration Products • Espresso Coffee Machines • Juice Dispensers • Soft Serve Ice-cream Machines • Blast Freezers/Chillers